WHAT IS CLAIMED IS

1. A thermoplastic molding composition comprising a polycarbonate resin, nanoclay in an amount of 0.1 to 20 percent relative to the weight of the polycarbonate and about 1 to 20 percent relative to the weight of the nanoclay of a carboxylic acid, said nanoclay having an average platelet thickness ranging from about 1 to 100 nm, and an average length and average width each independently one of the other ranging from about 50 nm to about 700 nm.

10

20

5

- 2. The thermoplastic molding composition of Claim 1, wherein the amount of the nanoclay is 0.1 to 15 percent.
- The thermoplastic molding composition of Claim 1, wherein
 the nanoclay is natural montmorilloonite modified with a quarternary
 ammonium salt or a quarternary phosphonium salt.
 - 4. The thermoplastic molding composition of Claim 3, wherein the quarternary ammonium salt is based on at least one member selected from the group consisting of dimethyl, dihydrogenated tallow with a chloride as a counter anion and dimethyl, hydrogenated tallow, 2-ethylhexyl with methyl sulfate as a counter ion.
- 5. The thermoplastic molding composition of Claim 1, wherein 25 the carboxylic acid is aliphatic.
 - 6. The thermoplastic molding composition of Claim 1, wherein the carboxylic acid is citric acid.

7. The thermoplastic molding composition of Claim 1, wherein the amount of a carboxylic acid is 5 to 15 percent relative to the weight of the nanoclay.

- 11 -

- 5 8. The thermoplastic molding composition of Claim 1, wherein the amount of a carboxylic acid is 8 to 12 percent relative to the weight of the nanoclay.
- 9. The thermoplastic molding composition of Claim 1, wherein
 10 the nanoclay is a member selected from the group consisting of montmorillonite, hectorite and synthetic flouromica.
 - 10. The thermoplastic molding composition of Claim 9, wherein the nanoclay is montmorillonite.